

Home | Login | Logout | Access information | Alc

Welcome United States Patent and Trademark Office

Search Resul	ts			erowse	SEARCH	IEEE XPLORE GUIDE	<b>:</b>	
Your search n	energ* <and> subtract* <and> denorg* <and> denormal denor</and></and></and>	s.			der.		⊠e-mail	
» Search Opti	ons							
View Session History			Modify Search					
New Search		((energ	((energ* <and> subtract* <and> densit*)<in> metadata)</in></and></and>					
			жеcl	k to search only within this res	sults set			
s Key		Displa	y Fo	rmat: Citation	Citation & Abstra	ct		
IEEE JNL	IEEE Journal or Magazine							
HEE JAN.	IEE Journal or Magazine	Select	Article Information					
ieee CNF	IEEE Conference Proceeding		1.	Energy-resolved imaging of the PBFA-II ion beam				
iee Cnf	IEE Conference Proceeding	•		Stygar, W.A.; Mix, L.P.; Leeper, R.J.; Mehlhorn, T.A.; Maenchen, J.; Brock, E.R.; Hebron, D.E. T.R.; Nelson, W.E.; Reyes, P.; Plasma Science, 1989. IEEE Conference Record - Abstracts., 1989 IEEE International Conference				
iese std	IEEE Standard							
				22-24 May 1989 Page(s):109 Digital Object Identifier 10.11		2		
				AbstractPlus   Full Text: PDF	tractPlus   Full Text: <u>PDF</u> (76 KB)			
		Γ	2.	X-ray imaging sensor usin Ohtsuchi, T.; Tsutsui, H.; Oh Nuclear Science, IEEE Tran: Volume 41, Issue 5, Oct. 19 Digital Object Identifier 10.1	nmori, K.; Baba, S.; sactions on 994 Page(s):1740 - 1745	energy X-ray absorptiome	try	
				AbstractPlus   Full Text: PDF				
			3.	Optimizing X-ray spectra for Skipper, J.A.; Hangartner, T. Biomedical Engineering Con 29-31 March 1996 Page(s):2 Digital Object Identifier 10.1 AbstractPius   Full Text: PDi	.N.; nference, 1996., Proceedir 297 - 300 109/SBEC.1996.493208	ohic bone densitometry	thern	
			4.	Effects of nonradiative rec GalnAsP-AlGaAs visible la Chong, TH.; Kishino, K.; Quantum Electronics, IEEE Volume 27, Issue 6, June 1 Digital Object Identifier 10.1	Journal of 1991 Page(s):1501 - 1510 109/3.89970	erature characteristics of t	hreshold currei	
			5.	Evaluation of antenna Q Collin, R.; Rothschild, S.; Antennas and Propagation, I Volume 12, Issue 1, Jan 19 AbstractPlus   Full Text: POF	964 Page(s):23 - 27	acy, pre - 1988]		
			6.	Electronic structure of Gal	N and AIN surfaces			

Solid-State and Integrated-Circuit Technology, 2001. Proceedings. 6th International Conference on Volume 2, 22-25 Oct. 2001 Page(s):1224 - 1227 vol.2 AbstractPlus | Full Text: PDF(212 KB) (EEEE CNF 7. Arterial cross-section measurements from dual energy transvenous coronary angiography i Chapman, D.; Nuclear Science Symposium and Medical Imaging Conference, 1993., 1993 IEEE Conference Rec 31 Oct.-6 Nov. 1993 Page(s):1528 - 1532 vol.3 AbstractPlus | Full Text: PDF(332 KB) INEE CNF 8. The practical implementation and accuracy of dual window scatter correction in a neuro PE septa retracted Grootoonk, S.; Spinks, T.J.; Kennedy, A.M.; Bloomfield, P.M.; Sashin, D.; Jones, T.; Nuclear Science Symposium and Medical Imaging Conference, 1992., Conference Record of the 1 25-31 Oct. 1992 Page(s):942 - 944 vol.2 Digital Object Identifier 10.1109/NSSMIC.1992.301099 9. Lithium beam generation and focusing on PBFAII Johnson, D.J.; Desjarlais, M.P.; Haill, T.A.; Mehlhorn, T.A.; Rosenthal, S.E.; Wenger, D.F.; Plasma Science, 1995. IEEE Conference Record - Abstracts., 1995 IEEE International Conference 5-8 June 1995 Page(s):216 Digital Object Identifier 10.1109/PLASMA.1995.532786 AbstractPlus | Full Text: PDF(120 KB) (SEE CNF 10. Conceptual design of a compact electron storage ring system dedicated to coronary angiog \_\_\_\_ Oku, Y.; Aizawa, K.; Nakagawa, S.; Ando, M.; Hyodo, K.; Kamada, S.; Shiwaku, H.; Particle Accelerator Conference, 1993., Proceedings of the 1993 17-20 May 1993 Page(s):1468 - 1470 vol.2 Digital Object Identifier 10.1109/PAC.1993.309062 AbstractPlus | Full Text: PDE(236 KB) IEEE CNF 11. New method for polarization measurements of magnetic fields in dense plasmas Demura, A.V.: Oks. E.: Plasma Science, IEEE Transactions on Volume 26, Issue 4, Aug. 1998 Page(s):1251 - 1258 Digital Object Identifier 10.1109/27.725157 AbstractPlus | References | Full Text: PDF(324 KB) | IEEE JNL 12. Resolving the acquisition ambiguity for atmospheric monitoring in multi-pass radar interfere Hanssen, R.; Moisseev, D.; Businger, S.; Geoscience and Remote Sensing Symposium, 2003. IGARSS '03. Proceedings. 2003 IEEE Interna Volume 2, 21-25 July 2003 Page(s):1202 - 1205 vol.2 Digital Object Identifier 10.1109/IGARSS.2003.1294058 AbstractPlus | Full Text: PDF(1370 KB) IEEE CNF 13. Magnetic properties of rare-Earth-Iron intermetallic compounds Strnat, K.; Hoffer, G.; Ray, A.; Magnetics, IEEE Transactions on Volume 2, Issue 3, Sep 1966 Page(s):489 - 493 AbstractPlus | Full Text: PDF(632 KB) | IEEE JNL

Duanjun Cai; Junyong Kang; Zizhong Zhu;

Help Contact Us Privac

